

2004,

2006

B 1 84482 610 4

,

. . .

P *a a a a* :

18 4

01623 450 88

01623 45062


Ⓢ

.

1062 46

CONCLUSIONS

Figure	Figure Description	Page
1	Figure 1: [Illegible description]	1
2	Figure 2: [Illegible description]	1
3	Figure 3: [Illegible description]	1
4	Figure 4: [Illegible description]	2
5	Figure 5: [Illegible description]	4
6	Figure 6: [Illegible description]	5
7	Figure 7: [Illegible description]	5
8	Figure 8: [Illegible description]	6
9	Figure 9: [Illegible description]	7
10	Figure 10: [Illegible description]	10
11	Figure 11: [Illegible description]	11
12	Figure 12: [Illegible description]	14
13	Figure 13: [Illegible description]	15
14	Figure 14: [Illegible description]	16

	'	1
		1
	'	18
	', '	1
	, ,	20
		21
		22
		23
		25
		25
	,	
		26
		28
	,	
		28
	,	
		2

,

30

,

31

,

,

Ma , 

$$).$$

2: *How to Use This Book*

25

O

0

O

O

26

23 2005,

2005

() ()

3

24

$$\begin{aligned} & - \quad , \\ & \quad , \\ & \quad \cdot \\ & \quad / \quad , \\ & \quad \cdot \\ & \quad (\quad) , \end{aligned}$$

,

$$\begin{aligned} & \cdot \\ & \quad , \\ & \quad , \\ & \quad , \quad , \\ & \quad \cdot \end{aligned}$$

,

.

.

43

2005-06

,

.
2005

.

,

,

,

,

.

.

.

44

'

.

.

.

.

.

58

P
5

60

61

62


6

68

$$\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$$
$$\left(\frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} e^{-\frac{1}{2}x^2} dx \right)$$
$$\left(\begin{array}{c} \vdots \\ \vdots \\ \vdots \end{array} \right) = \left(\begin{array}{c} \vdots \\ \vdots \\ \vdots \end{array} \right)$$

() .

.



ø2 (11)

C

a

2005

2004

ø3

C

B'

B

B.

B

ø0

a , S 1: P a a C a

B

ø4


B

B

2006

(

2006-0



ø5

ø1

(

)

2006,

86

8

0

1

8

88

2

2006,

2005

1 4. 1 10 1 10 ,

, . ,

3 .

. , .

101



102

2005-06

100

103

104

10

A
v
108

2005,

105

. B

14

()

10,000

106

10

2002.

2005.

B

121

122

5

Figure 3: The effect of the number of nodes on the performance of the proposed algorithm. The number of nodes is varied from 10 to 100. The performance is measured by the number of iterations required to reach the optimal solution. The results show that the number of iterations required to reach the optimal solution increases as the number of nodes increases.

128

1. *Pharmaceutical industry*—United States—History. I. Title. II. Series.

F

F
133

()

15 1 2006.

,

.

,

140

()

2005

143

()

()

141

() .

144

()

142

B

145

148

-

.

,

.

,

.

.

146

-

()

.

,

.

.

.

14

.

,

2006.

.

-

,

.

,

!

.

- -

!

.

,

.

.

152

156

B

B

()

B

().

B

153

15

154

E^a , Wa^a , N^a , I^a ()

158

25

15

155

(B).

B

C

C

C .

2004
C

163

160 B

C a

(,), C a , ()
B ,

2004

C

164

(,)

o

o

o

161

a , S 1: P a a a C
a ,

165



B (2006),
(

)
2006-0

162

16

(41, 5 , 5 -62)

(88, 1- 4,)

(125, 126). 1 0

(104- 10).

